



Inventor(s): Nobuo KOCHI et al. Appl. No.: 10/086,625


1/12





0 degree

## FIG.1 (B)



ars tellor

10 degrees


## FIG.2 (A)

# FIG.2 (B)

Epipolar line


Title: AN ELECTRON BEAM DEVICE
AND METHOD FOR STEREOSCOPE 5 . C = 1 .

Inventor(s): Nobuo KOCHI et al. Appl. No.: 10/086,625




MEASUREMENTS

Inventor(s): Nobuo KOCHI et al. Appl. No.: 10/086,625



Title: AN ELECTRON BEAM DEVICE
AND METHOD FOR STEREOSCOPIC
MEASUREMENTS
Inventor(s): Nobuo KOCHI et al.
Appl. No.: 10/086,625

4/12





Inventor(s): Nobuo KOCHI et al. Appl. No.: 10/086,625

5/12





FIG.7




Title: AN ELECTRON BEAM DEVICE
AND METHOD FOR STEREOSCOPIC

AND METHOD FOR

Inventor(s): Nobuo KOCHI et al. Appl. No.: 10/086,625


6/12



Title: AN ELECTRON BEAM DEVICE
AND METHOD FOR STEREOSCOPIC
MEASUREMENTS

Inventor(s): Nobuo KOCHI et al. Appl. No.: 10/086,625


7/12






Appl. No.: 10/086,625


8/12



MEASUREMENTS
Inventor(s): Nobuo KOCHI et al.
Appl. No.: 10/086,625

9/12





AND METHOD FOR STEREOSCOR MEASUREMENTS

Inventor(s): Nobuo KOCHI et al. Appl. No.: 10/086,625

10/12

FIG.12 (A)


## FIG.12 (B)


Laplacean operator

| 0 | 1          | 0          |
|---|------------|------------|
| 1 | 5          | <b>— 1</b> |
| 0 | <b>— 1</b> | O          |

Line detecting operator


| -1/2 | 1 | -1/2 |
|------|---|------|
| -1/2 | 1 | -1/2 |
| -1/2 | 1 | -1/2 |





Title: AN ELECTRON BEAM DEVICE
AND METHOD FOR STEREOSCOPIOSES COLUMN
MEASUREMENTS

Inventor(s): Nobuo KOCHI et al. Appl. No.: 10/086,625





Inventor(s): Nobuo KOCHI et al. Appl. No.: 10/086,625

